

RIZ MUGHAL

QUIZ MASTER

Grand Quiz(CS411)

100% correct solution.

For more information you can visit my channel and for any type of help related to CS619 you can contact me.



YOUTUBE CHANNEL:

<https://www.youtube.com/channel/UCINsFwDiB62SValCcPDZbRQ/playlists>

FACEBOOK GROUP:

<https://www.facebook.com/groups/923887914750307>

Question # 1 of 30 (Start time: 01:09:21 AM, 26 December 2020)

Total Ma

The root object element in XAML must specify at least _____ XML namespace(s) that is/are used to qualify itself and any child elements.

Select the correct option

- | | |
|----------------------------------|-------|
| <input type="radio"/> | Two |
| <input type="radio"/> | Three |
| <input type="radio"/> | Four |
| <input checked="" type="radio"/> | One |

RIZ MUGHAL

Question # 2 of 30 (Start time: 01:09:40 AM, 26 December 2020)

In System.Console, "Console" is a _____ which enables us to do console Input and Output.

Select the correct option

<input type="radio"/>	Structure
<input checked="" type="radio"/>	Class
<input type="radio"/>	Namespace
<input type="radio"/>	Library

RIZ MUGHAL

CS411:Grand Quiz

Question # 3 of 30 (Start time: 01:09:57 AM, 26 December 2020)

Which of the following Keyword is used to declare an anonymous method?

Select the correct option

- | | |
|----------------------------------|----------|
| <input type="radio"/> | static |
| <input checked="" type="radio"/> | delegate |
| <input type="radio"/> | this |
| <input type="radio"/> | event |

RIZ MUGHAL

Question # 4 of 30 (Start time: 01:10:11 AM, 26 December 2020)

Total Marks: 1

This is an example of _____, when a program is written to respond to the button clicks, menu selections, and other actions of the user in whatever order the user use them.

Select the correct option

- | | | |
|----------------------------------|----------------------------|----|
| <input type="radio"/> | Action-Driven Programming. | // |
| <input type="radio"/> | User-Driven Programming | // |
| <input type="radio"/> | Mouse-Driven Programming | // |
| <input checked="" type="radio"/> | Event-Driven Programming | // |

RIZ MUGHAL

CS411:Grand Quiz

Question # 5 of 30 (Start time: 01:10:27 AM, 26 December 2020)

Select the correct statement about the Structure in C#?

Select the correct option

- | | |
|----------------------------------|--------------------------------|
| <input type="radio"/> | It is a Reference type |
| <input checked="" type="radio"/> | Its syntax is similar to class |
| <input type="radio"/> | It can implement destructors |
| <input type="radio"/> | It can implement inheritance |

RIZ MUGHAL

CS411:Grand Quiz

Question # 6 of 30 (Start time: 01:10:42 AM, 26 December 2020)

For a Horizontal grid splitter, ____ has to be specified.

Select the correct option

<input type="radio"/>	Height
<input checked="" type="radio"/>	Width
<input type="radio"/>	Alignment
<input type="radio"/>	Size

RIZ MUGHAL

Question # 7 of 30 (Start time: 01:10:55 AM, 26 December 2020)

To design a complex Interface, which of the following technique is best to achieve the required results?

Select the correct option


- | | |
|----------------------------------|---------------------------------|
| <input type="radio"/> | Panels composed in three panels |
| <input checked="" type="radio"/> | Panels composed within panels |
| <input type="radio"/> | Panels composed in two panels |
| <input type="radio"/> | Panels composed in single panel |

RIZ MUGHAL

Question # 8 of 30 (Start time: 01:11:10 AM, 26 December 2020)

In WPF, _____ function registers an attached property with the property system.

Select the correct option

- | | |
|----------------------------------|--|
| <input checked="" type="radio"/> | RegisterAttached(String, Type, Type, PropertyMetadata, ValidateValueCallback) |
| <input type="radio"/> | RegisterAttach(String, Type, Type, PropertyMetadata, ValidateValueCallback) |
| <input type="radio"/> | Register_Attached(String, Type, Type, PropertyMetadata, ValidateValueCallback) |
| <input type="radio"/> | Reg_Attach(String, Type, Type, PropertyMetadata, ValidateValueCallback) |
- RIZ MUGHAL*
- 

CS411:Grand Quiz

Question # 9 of 30 (Start time: 01:11:23 AM, 26 December 2020)

WPF4 was released in _____.

Select the correct option

- | | |
|----------------------------------|------|
| <input type="radio"/> | 2012 |
| <input checked="" type="radio"/> | 2010 |
| <input type="radio"/> | 2005 |
| <input type="radio"/> | 2003 |

RIZ MUGHAL

Question # 10 of 30 (Start time: 01:11:37 AM, 26 December 2020)

Attributes of a program can be retrieved from its assembly metadata through _____.

Select the correct option

- | | |
|----------------------------------|-------------------|
| <input type="radio"/> | Static member |
| <input checked="" type="radio"/> | Reflection |
| <input type="radio"/> | Garbage collector |
| <input type="radio"/> | Constructor |

RIZ MUGHAL

Question # 11 of 30 (Start time: 01:11:54 AM, 26 December 2020)


Total Mark

Suppose, the property of x coordinate of the button timely changes in such a way that after every 100 seconds value of x coordinate increments by 1, then this case refers to _____

Select the correct option

- | | |
|----------------------------------|------------------|
| <input checked="" type="radio"/> | Animation |
| <input type="radio"/> | Property Element |
| <input type="radio"/> | Transformation |
| <input type="radio"/> | Tunneling |

RIZ MUGHAL



CS411:Grand Quiz

Question # 12 of 30 (Start time: 01:12:12 AM, 26 December 2020)

In WPF, clipping is done before _____

Select the correct option

- | | |
|----------------------------------|------------------|
| <input checked="" type="radio"/> | Render Transform |
| <input type="radio"/> | Layout Transform |
| <input type="radio"/> | Matrix Transform |
| <input type="radio"/> | Skew Transform |

RIZ MUGHAL

CS411:Grand Quiz

Question # 13 of 30 (Start time: 01:12:28 AM, 26 December 2020)

The Main method returns zero value which indicates the_____.

Select the correct option

- | | |
|----------------------------------|---------------------------------|
| <input type="radio"/> | Source of Program |
| <input checked="" type="radio"/> | Successful execution of Program |
| <input type="radio"/> | Termination of Program |
| <input type="radio"/> | Exception in Program |

~~RIZ MUGHAL~~


Question # 14 of 30 (Start time: 01:12:44 AM, 26 December 2020)

Which of these keywords is used to manually throw an exception in C#?

Select the correct option

- | | |
|----------------------------------|---------|
| <input type="radio"/> | try |
| <input type="radio"/> | finally |
| <input type="radio"/> | catch |
| <input checked="" type="radio"/> | throw |

RIZ MUGHAL



Question # 15 of 30 (Start time: 01:13:01 AM, 26 December 2020)

What is the key feature of Java?

Select the correct option

- | | |
|----------------------------------|--------------------------------|
| <input type="radio"/> | Platform independent |
| <input type="radio"/> | Virtual machine Based language |
| <input checked="" type="radio"/> | Both (a) and (b) |
| <input type="radio"/> | Platform Dependent |

RIZ MUGHAL

Question # 16 of 30 (Start time: 01:13:16 AM, 26 December 2020)

Attribute parameters can be either positional parameters or _____ parameters.

Select the correct option

<input checked="" type="radio"/>	Named
<input type="radio"/>	Static
<input type="radio"/>	Global
<input type="radio"/>	Private

Question # 17 of 30 (Start time: 01:13:31 AM, 26 December 2020)

"FrameworkElement" is the base class that adds support for _____

Select the correct option

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | Abstract Class |
| <input checked="" type="radio"/> | Data binding |
| <input type="radio"/> | Inheritance |
| <input type="radio"/> | Polymorphism |

RIZ MUGHAL

CS411:Grand Quiz

Question # 18 of 30 (Start time: 01:13:45 AM, 26 December 2020)

Which method is used to write single byte to the file?

Select the correct option

- | | |
|----------------------------------|---------------|
| <input type="radio"/> | Write() |
| <input type="radio"/> | WriteLine() |
| <input checked="" type="radio"/> | WriteByte () |
| <input type="radio"/> | WriteKey() |

RIZ MUGHAL

CS411:Grand Quiz

Question # 19 of 30 (Start time: 01:13:59 AM, 26 December 2020)

_____ key can be represented as `_text` in XAML.

Select the correct option

- | | |
|----------------------------------|-----------|
| <input type="radio"/> | Protected |
| <input checked="" type="radio"/> | Focus |
| <input type="radio"/> | Public |
| <input type="radio"/> | Private |

RIZ MUGHAL



CS411:Grand Quiz

Question # 20 of 30 (Start time: 01:14:14 AM, 26 December 2020)

Which of the following components generates an input Event?

Select the correct option

- | | |
|----------------------------------|-------------|
| <input type="radio"/> | Printer |
| <input checked="" type="radio"/> | Multi Touch |
| <input type="radio"/> | Plotter |
| <input type="radio"/> | Speaker |

RIZ MUGHAL

Question # 21 of 30 (Start time: 01:14:29 AM, 26 December 2020)

Total Marks: 1

We want the width of button should cover the whole width of StackPanel in WPF then, what should be the value of HorizontalAlignment property of button?


Select the correct option

- | | | |
|----------------------------------|---------|----|
| <input type="radio"/> | Parent | // |
| <input type="radio"/> | Whole | // |
| <input type="radio"/> | Fill | // |
| <input checked="" type="radio"/> | Stretch | // |

Question # 22 of 30 (Start time: 01:14:46 AM, 26 December 2020)

Select correct statement about properties of read and write in C#.

Select the correct option

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | A read only property will only have get accessor |
| <input type="radio"/> | A write only property will only have get accessor |
| <input type="radio"/> | A property cannot be either read only or write only |
| <input type="radio"/> | A property can simultaneously be read or write only |
- RIZ MUGHAL*
- 

Question # 23 of 30 (Start time: 01:15:02 AM, 26 December 2020)

_____ methods are not declared, instead they get hooked up directly to events.

Select the correct option

<input type="radio"/>	Private
<input checked="" type="radio"/>	Anonymous
<input type="radio"/>	Static
<input type="radio"/>	Non-Anonymous

RIZ MUGHAL

CS411:Grand Quiz

Question # 24 of 30 (Start time: 01:15:16 AM, 26 December 2020)

The initial name for C# was _____.

Select the correct option

- | | |
|----------------------------------|------|
| <input type="radio"/> | COAL |
| <input type="radio"/> | COOP |
| <input type="radio"/> | COAP |
| <input checked="" type="radio"/> | COOL |

RIZ MUGHAL




Question # 25 of 30 (Start time: 01:15:32 AM, 26 December 2020)

T

```
System.Windows.Controls.Button b = new System.Windows.Controls.Button();  
b.Content = "OK";
```

For the above code (written in C#) the corresponding XAML code will be:

Select the correct option

- | | |
|----------------------------------|--|
| <input checked="" type="radio"/> | <code><Button xmlns=http://schemas.microsoft.com/winfx/2006/xaml/presentation Content="OK"/></code> |
| <input type="radio"/> | <code><Button xmlns= "OK" Content="http://schemas.microsoft.com/winfx/2006/xaml/presentation " /></code> |
| <input type="radio"/> | <code><Button xmlns=http://schemas.microsoft.com/winfx/2006/xaml/presentation Event="OK"/></code> |
| <input type="radio"/> | <code><Button xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation" Call="OK"/></code> |
- RIZ MUGHAI*
- 

Question # 26 of 30 (Start time: 01:15:45 AM, 26 December 2020)

Total Mark

Which of the following property will be used to restrict the user to not increase the height of a WPF element from a specific value?

Select the correct option

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | MaximumHeight |
| <input checked="" type="radio"/> | MaxHeight |
| <input type="radio"/> | IncreaseHeight |
| <input type="radio"/> | HeightMaximum |


RIZ MUGHAL

R

Question # 27 of 30 (Start time: 01:16:00 AM, 26 December 2020)

Which of the following is an entity that introduces event into the system?

Select the correct option

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | Event Channel |
| <input type="radio"/> | Event Stream |
| <input type="radio"/> | Event Consumer |
| <input checked="" type="radio"/> | Event Producer |
- RIZ MUGHAL*
- 

CS411:Grand Quiz

Question # 28 of 30 (Start time: 01:16:14 AM, 26 December 2020)

Why do we use cin.get() in C++ program?

Select the correct option

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | It is used to access character array |
| <input type="radio"/> | It is used to get numeric data |
| <input type="radio"/> | It is used to print all values of array |
| <input type="radio"/> | It is used to take input from user |

RIZMUGHAL

CS411:Grand Quiz

Question # 29 of 30 (Start time: 01:16:25 AM, 26 December 2020)

In this code statement,
Button b = sender as Button

as keyword is used for _____

Select the correct option

<input checked="" type="radio"/>	Casting
<input type="radio"/>	Validation
<input type="radio"/>	Declaration
<input type="radio"/>	Instantiation

RIZ MUGHAL

CS411:Grand Quiz

Question # 30 of 30 (Start time: 01:16:45 AM, 26 December 2020)

The _____ method is used to read the whole file at once.

Select the correct option

- | | |
|----------------------------------|---------------------------------------|
| <input checked="" type="radio"/> | <code>ReadAllText("test.txt");</code> |
| <input type="radio"/> | <code>ReadAll();</code> |
| <input type="radio"/> | <code>Read("test.txt");</code> |
| <input type="radio"/> | <code>ReadLine();</code> |

RIZ MUGHAL