

For More Visit **VU Answer**

CS502 Final Term Papers by Waqar (File 1)

Question No : 1 of 52

Marks: 1 (Budgeted Time 1 Min)

An optimization problem is one in which you want to find,

moaaz

Answer (Please select your correct option)

VuAnswers.com

- Not a solution
- An algorithm
- Good solution
- The best solution

correct

Made by: Waqar Siddhu

Question No : 2 of 52

Marks: 1 (Budgeted Time 1 Min)

Suppose that a graph $G = (V, E)$ is implemented using adjacency lists. What is the complexity of a breadth-first traversal of G ?

page 116

Answer (Please select your correct option)

VuAnswers.com


- $O(|V|P)$
- $O(|V| + |E|)$
- $O(|V|P + |E|)$
- $O(|V| + |E|)$

correct

Made by: Waqar Siddhu

Question No : 3 of 52

Marks: 1 (Budgeted Time 1 Min)



Answer (Please select your correct option)

VuAnswers.com

- 3
- 5
- 6
- 9

Made by: Waqar Siddhu

For More Visit **VU Answer**

Question No : 3 of 52

Marks: 1 (Budgeted Time 1 Min)



Answer (Please select your correct option)

VuAnswers.com

- 3
- 5
- 6
- 9

Made by: **Waqar Siddhu**

Question No : 3 of 52

Marks: 1 (Budgeted Time 1 Min)



Answer (Please select your correct option)

VuAnswers.com

- 3
- 5
- 6
- 9

Made by: **Waqar Siddhu**

Question No : 4 of 52

Marks: 1 (Budgeted Time 1 Min)

Non-optimal or greedy algorithm for money change takes _____

Answer (Please select your correct option)

VuAnswers.com

- $O(k)$
- $O(2^k)$
- $O(N)$
- $O(kN)$

correct

Made by: **Waqar Siddhu**

Question No : 5 of 52

Marks: 1 (Budgeted Time 1 Min)

The Huffman algorithm finds a (n) _____ solution.

102

Answer (Please select your correct option)

VuAnswers.com

Optimal

correct

Non-optimal

Exponential

Polynomial

Made by: Waqar Siddhu

Question No : 6 of 52

Marks: 1 (Budgeted Time 1 Min)

Which formula is used for calculating worst case running time?

Answer (Please select your correct option)

VuAnswers.com

$T_{worst}(n) = \max_{1 \leq i \leq n} T(i)$

correct

$T_{worst}(n) = \max_{1 \leq i \leq n} T(i)$

$T_{worst}(n) = \max_{1 \leq i \leq n} T(n)$

$T_{worst}(n) = \max_{1 \leq i \leq n} T(n)$

Made by: Waqar Siddhu

Question No : 7 of 52

Marks: 1 (Budgeted Time 1 Min)

The reason for introducing Sieve Technique algorithm is that it illustrates a very important special case of,

34

Answer (Please select your correct option)

VuAnswers.com

divide-and-conquer

correct

decrease and conquer

greedy nature

2-dimension Maxima

Made by: Waqar Siddhu

For More Visit **VU Answer**

Question No : 8 of 52

Marks: 1 (Budgeted Time 1 Min)

Sieve Technique applies to problems where we are interested in finding a single item from a larger set of _____

34

Answer (Please select your correct option)

VuAnswers.com

n items

correct

phases

pointers

constant

Made by: Waqar Siddhu

Question No : 9 of 52

Marks: 1 (Budgeted Time 1 Min)

The number of nodes in a complete binary tree of height h is

Answer (Please select your correct option)

VuAnswers.com

$2^{(h+1)} - 1$

correct

$2 * (h+1) - 1$

$2 * (h+1)$

$((h+1)^2) - 1$

Made by: Waqar Siddhu

Question No : 10 of 52

Marks: 1 (Budgeted Time 1 Min)

If there are $\Theta(n^2)$ entries in edit distance matrix then the total running time is

Answer (Please select your correct option)

VuAnswers.com

$\Theta(1)$

$\Theta(n^2)$

correct

$\Theta(n)$

$\Theta(n \log n)$

Made by: Waqar Siddhu

For More Visit **VU Answer**

Question No : 11 of 52

Marks: 1 (Budgeted Time 1 Min)

When a recursive algorithm revisits the same problem over and over again, we say that the optimization problem has _____ sub-problems.

Answer (Please select your correct option)

VuAnswers.com

Overlapping

correct

Over costing

Optimized

None of these

Made by: Waqar Siddhu

Question No : 12 of 52

Marks: 1 (Budgeted Time 1 Min)

A $p \times q$ matrix A can be multiplied with a $q \times r$ matrix B. The result will be a $p \times r$ matrix C. There are $(p \cdot r)$ total entries in C and each takes _____ to compute.

Answer (Please select your correct option)

VuAnswers.com

(q)

correct

(1)

(r^2)

(r^3)

Made by: Waqar Siddhu

Question No : 13 of 52

Marks: 1 (Budgeted Time 1 Min)

Matrix – Chain – Order is _____ than the exponential time method of enumerating all possible parenthesizations and checking each one.

Answer (Please select your correct option)

VuAnswers.com

Much more efficient

Only fractional efficient

Worst

Too slow

Made by: Waqar Siddhu

For More Visit **VU Answer**

For More Visit **VU Answer**

Question No : 14 of 52

Marks: 1 (Budgeted Time 1 Min)

The recurrence relation of Tower of Hanoi is given below

$$T(n) = \begin{cases} 1 & \text{if } n=1 \\ 2T(n-1) + 1 & \text{if } n > 1 \end{cases}$$

In order to move a tower of 4 rings from one peg to another, how many ring moves are required?

Answer (Please select your correct option)

VuAnswers.com

15

7

12

32

correct

Made by: Waqar Siddhu

Question No : 15 of 52

Marks: 1 (Budgeted Time 1 Min)

Maximum number of edges in a Directed Graph may be

Answer (Please select your correct option)

VuAnswers.com

V

2V

Approximately $|V|^2$

w/2

correct

Made by: Waqar Siddhu

Question No : 16 of 52

Marks: 1 (Budgeted Time 1 Min)

An adjacency matrix for a graph

Answer (Please select your correct option)

VuAnswers.com

always square in shape

It is not necessary for it to be square in shape

Is square in shape for directed graphs but not for undirected graphs

Is always diagonal matrix

correct

Made by: Waqar Siddhu

For More Visit **VU Answer**

Question No : 17 of 52

Marks: 1 (Budgeted Time 1 Min)

Using ASCII standard the string "ab-#&c" will be encoded _____ bytes

Answer (Please select your correct option)

VuAnswers.com

16

7

6

This string cannot be stored using ASCII standard

correct

Made by: Waqar Siddhu

Question No : 18 of 52

Marks: 1 (Budgeted Time 1 Min)

Using Huffman encoding technique the string "a@a" will be encoded with _____ bits

Answer (Please select your correct option)

VuAnswers.com

5

6

8

Huffman encoding fail at this string

correct

Made by: Waqar Siddhu

Question No : 19 of 52

Marks: 1 (Budgeted Time 1 Min)

In fractional knapsack we sort the

Answer (Please select your correct option)

VuAnswers.com

Value per unit weight in decreasing order

correct

Weight per unit value in decreasing order

Value per unit weight in increasing order

Weight per unit value in increasing order

Made by: Waqar Siddhu

For More Visit **VU Answer**

For More Visit **VU Answer**

Question No : 20 of 52

Marks: 1 (Budgeted Time 1 Min)

The greedy part of the Huffman encoding algorithm is to first find two nodes with _____ frequency.

Answer (Please select your correct option)

VuAnswers.com

Larger

Smallest

correct

Balance

Character

Made by: Waqar Siddhu

Question No : 21 of 52

Marks: 1 (Budgeted Time 1 Min)

The codeword assigned to characters by the Huffman algorithm have the property

Answer (Please select your correct option)

VuAnswers.com

that no codeword is the prefix of any other

correct

that no codeword is the postfix of any other

that no codeword is the infix of any other

that no codeword is neither prefix nor postfix of any other

Made by: Waqar Siddhu

Question No : 22 of 52

Marks: 1 (Budgeted Time 1 Min)

In undirected graphs there

130

Answer (Please select your correct option)

VuAnswers.com

are no Cross edges but have forward and back edges

are only forward edges

is convention of only back edges

correct

is convention of forward edges

Made by: Waqar Siddhu

For More Visit **VU Answer**

For More Visit **VU Answer**

Question No : 23 of 52

Marks: 1 (Budgeted Time 1 Min)

In time stamp DFS for the edge (u,v) if $f(u) > f(v)$ then

130

Answer (Please select your correct option)

VuAnswers.com

- the edge is cross
- the edge is back
- the edge is forward
- the edge is tree or cross or forward

correct

Made by: Waqar Siddhu

Question No : 24 of 52

Marks: 1 (Budgeted Time 1 Min)

Kruskal's algorithm

Answer (Please select your correct option)

VuAnswers.com

- Choose the best non-cycle edge
- Choose the best tree edge
- Choose the vertex that gives the lightest weight
- Follow the dynamic programming rules for choosing edges

correct

Made by: Waqar Siddhu

Question No : 25 of 52

Marks: 1 (Budgeted Time 1 Min)

In Prim's algorithm we use

Answer (Please select your correct option)

VuAnswers.com

- Queue data structure
- Priority Queue data structure
- Stack data structure
- Both stack and Queue data structures

correct

Made by: Waqar Siddhu

For More Visit **VU Answer**

For More Visit **VU Answer**

Question No : 26 of 52

Marks: 1 (Budgeted Time 1 Min)

Adding any edge to a free tree

142

Answer (Please select your correct option)

VuAnswers.com

- keeps it the free tree and increases the size of the tree
- creates a unique cycle
- it is not allowed to add the edge in free tree
- creates multiple cycles

correct

Made by: Waqar Siddhu

Question No : 27 of 52

Marks: 1 (Budgeted Time 1 Min)

Floyd-Warshall algorithm is

161

Answer (Please select your correct option)

VuAnswers.com

- based on greedy approach and allow negative edges
- based on divide and conquer approach and allow negative edges
- based on dynamic programming approach and allow negative cycles
- based on dynamic programming approach and allow negative edges

correct

Made by: Waqar Siddhu

Question No : 28 of 52

Marks: 1 (Budgeted Time 1 Min)

Dijkstra's algorithm is used for

154

Answer (Please select your correct option)

VuAnswers.com

- calculating multiple source shortest path problems
- calculating Minimum spanning tree
- shortest and Minimum Spanning tree both can be calculated by it
- single source shortest path problems

correct

Made by: Waqar Siddhu

For More Visit **VU Answer**

Question No : 29 of 52

Marks: 1 (Budgeted Time 1 Min)

Bellman Ford algorithm applies relaxation to every

160

Answer (Please select your correct option)

VuAnswers.com

- edge of the graph and repeats exactly $v-1$ times
- vertex of the graph and repeats exactly $E-1$ times
- edge of the graph and repeats exactly $E-1$ times
- edge but use the back edges for the completion

correct

Made by: Waqar Siddhu

Question No : 30 of 52

Marks: 1 (Budgeted Time 1 Min)

Complexity wise the comparison based merge and quick sort algorithms fall in

Answer (Please select your correct option)

VuAnswers.com

- Deterministic Polynomial class
- Non-Deterministic Polynomial class
- Quick sort in P class and Merge sort in NP class
- Quick sort in NP class and Merge sort in P class

Made by: Waqar Siddhu

Question No : 31 of 52

Marks: 1 (Budgeted Time 1 Min)

Running time of Floyd-Warshall algorithm is

161

Answer (Please select your correct option)

VuAnswers.com

- $\Theta(n^2)$
- $\Theta(n^4)$
- $\Theta(n^3)$
- $\Theta(3^n)$

correct

Made by: Waqar Siddhu

For More Visit **VU Answer**

Question No : 32 of 52

Marks: 1 (Budgeted Time 1 Min)

If we can solve a single NP problem in P time

173

Answer (Please select your correct option)

VuAnswers.com

- All NP-problems can be solved
- All P problems can be solved
- We cannot predict about the solution of other NP problems
- This can be never possible to solve the NP problem in P time

correct

Made by: Waqar Siddhu

Question No : 33 of 52

Marks: 1 (Budgeted Time 1 Min)

If a problem is NP-complete

Answer (Please select your correct option)

VuAnswers.com

- it must be in P
- it must also be in NP
- there is no relation between NP and NP-complete
- it can be solved in P time

correct

Made by: Waqar Siddhu

Question No : 34 of 52

Marks: 1 (Budgeted Time 1 Min)

3-color problem is known as _____

173

Answer (Please select your correct option)

VuAnswers.com

- P
- NPC
- Co-NP
- P and NP

correct

Made by: Waqar Siddhu

For More Visit **VU Answer**

For More Visit **VU Answer**

Question No : 35 of 52

Marks: 1 (Budgeted Time 1 Min)

Clique cover problem arises in applications of _____.

178

Answer (Please select your correct option)

VuAnswers.com

Map drawing

Clustering

correct

Architectural design

Clique

Made by: Waqar Siddhu

Question No : 36 of 52

Marks: 1 (Budgeted Time 1 Min)

In the 3-coloring problem, for two vertices to be in the same group, they must be not _____ to each other.

178

Answer (Please select your correct option)

VuAnswers.com

Apart from

Far from

Near to

Adjacent to

correct

Made by: Waqar Siddhu

Question No : 37 of 52

Marks: 1 (Budgeted Time 1 Min)

What is the worst-case time for merge sort to sort an array of n elements?

Answer (Please select your correct option)

VuAnswers.com

$O(n \log n)$

correct

$O(n^2)$

$O(\log n)$

$O(n)$

Made by: Waqar Siddhu

For More Visit **VU Answer**

For More Visit **VU Answer**

Question No : 38 of 52

Marks: 1 (Budgeted Time 1 Min)

Search techniques of various algorithms look at _____

97

Answer (Please select your correct option)

VuAnswers.com

Many possible solutions

correct

Maximum 2 possible solutions

Minimum 2 possible solutions

Sorting solutions

Made by: Waqar Siddhu

Question No : 39 of 52

Marks: 1 (Budgeted Time 1 Min)

The Huffman encoding algorithm is a _____

99

Answer (Please select your correct option)

VuAnswers.com

Dynamic and greedy algorithm

Divide and conquer and greedy algorithm

Geedy algorithm

correct

Dynamic programming algorithm

Made by: Waqar Siddhu

Question No : 40 of 52

Marks: 1 (Budgeted Time 1 Min)

Breadth first search is shortest path algorithm that works

153

Answer (Please select your correct option)

VuAnswers.com

on un-weighted graphs

correct

on weighted graphs

on both weighted and un-weighted graphs

BFS cannot be used for shortest path problems

Made by: Waqar Siddhu

For More Visit **VU Answer**

For More Visit **VU Answer**

Question No : 41 of 52

Marks: 2 (Budgeted Time 4 Min)

What are the essential elements of an algorithm?

Answer ([Please click here to Add Answer](#))

VuAnswers.com

Normal Arial 12 B I U

Made by: Waqar Siddhu

Question No : 42 of 52

Marks: 2 (Budgeted Time 4 Min)

What is overall time for Kruskal's algorithm if the graph is sparse?

Answer ([Please click here to Add Answer](#))

VuAnswers.com

Normal Arial 12 B I U

Made by: Waqar Siddhu

Question No : 43 of 52

Marks: 2 (Budgeted Time 4 Min)

What is DFS and how does it work?

Answer ([Please click here to Add Answer](#))

VuAnswers.com

Normal Arial 12 B I U

Made by: Waqar Siddhu

For More Visit **VU Answer**

Question No : 44 of 52

Marks: 2 (Budgeted Time 4 Min)

What is Bellman-Ford algorithm's running time?

Answer (Please click here to Add Answer)

VuAnswers.com



Made by: Waqar Siddhu

Question No : 45 of 52

Marks: 3 (Budgeted Time 6 Min)

Explain the following two basic cases according to Floyd-Warshall Algorithm,

1. Don't go through vertex k at all.
2. Do go through vertex k.

Answer (Please click here to Add Answer)

VuAnswers.com



Made by: Waqar Siddhu

Question No : 46 of 52

Marks: 3 (Budgeted Time 6 Min)

Describe 2-d maxima problem in mathematical or algorithmic form.

Answer (Please click here to Add Answer)

VuAnswers.com



Made by: Waqar Siddhu

Question No : 47 of 52

Marks: 3 (Budgeted Time 6 Min)

Describe Minimum Spanning Trees Problem with examples.

Answer (Please click here to Add Answer)

VuAnswers.com



Normal Arial 12 B I U

Made by: Waqar Siddhu

Question No : 48 of 52

Marks: 3 (Budgeted Time 6 Min)

Let the adjacency list representation of an undirected graph is given below.
Is there any isolated vertex? If yes, Name the vertex.
What general property of the list indicates that the graph has an isolated vertex?

a → b → c → e
b → a → d

Answer (Please click here to Add Answer)

VuAnswers.com



Normal Arial 12 B I U

Made by: Waqar Siddhu

Question No : 48 of 52

Marks: 3 (Budgeted Time 6 Min)

a → b → c → e
b → a → d
c → a → d → e → f
d → b → c → f
e → a → c → f

Answer (Please click here to Add Answer)

VuAnswers.com



Normal Arial 12 B I U

Made by: Waqar Siddhu

Question No : 48 of 52

Marks: 3 (Budgeted Time 6 Min)

b → a → d
c → a → d → e → f
d → b → c → f
e → a → c → f
f → c → d → e
g

Answer (Please click here to Add Answer)

VuAnswers.com



Made by: *Waqar Siddhu*

Question No : 48 of 52

Marks: 3 (Budgeted Time 6 Min)

c → a → d → e → f
d → b → c → f
e → a → c → f
f → c → d → e
g

Answer (Please click here to Add Answer)

VuAnswers.com



Made by: *Waqar Siddhu*

Question No : 49 of 52

Marks: 5 (Budgeted Time 10 Min)

You are given the task of laying down new railway lines which will connect all n cities. Thus for any pair of cities, you will end up with track connecting them. Note that two routes may share the same track; track laid between Lahore and Islamabad can be used to travel in both directions. Your goal is to use the minimum amount of track. How would you achieve the goal now? (Note : consider the scenario carefully and name only the best suited algorithm)

- 1 Dijkstra's algorithm
- 2 Prims Algorithm
- 3 Folloyed Warshal Algorithm

Answer (Please click here to Add Answer)

VuAnswers.com



Made by: *Waqar Siddhu*

Question No : 49 of 52

Marks: 5 (Budgeted Time 10 Min)

track; track laid between Lahore and Islamabad can be used to travel in both directions. Your goal is to use the minimum amount of track. How would you achieve the goal now? (Note : consider the scenario carefully and name only the best suited algorithm)

- 1 Dijkstra's algorithm
- 2 Prims Algorithm
- 3 Folloyed Warshal Algorithm
- 4 Bellman Ford Algorithm.

Answer (Please click here to Add Answer)

VuAnswers.com

Made by: **Waqar Siddhu**

Question No : 50 of 52

Marks: 5 (Budgeted Time 10 Min)

Show the result of time stamped DFS algorithm on the following graph. Take node E as a starting node. [You can show final result in exam software and need not to show all intermediate steps].




Answer (Please click here to Add Answer)

VuAnswers.com

Made by: **Waqar Siddhu**

Question No : 50 of 52

Marks: 5 (Budgeted Time 10 Min)




Answer (Please click here to Add Answer)

VuAnswers.com

Made by: **Waqar Siddhu**

Question No : 50 of 52

Marks: 5 (Budgeted Time 10 Min)



Answer (Please click here to Add Answer)


VuAnswers.com

Rich text editor interface with a toolbar and a large empty text area.

Made by: **Waqar Siddhu**

Question No : 50 of 52

Marks: 5 (Budgeted Time 10 Min)



Answer (Please click here to Add Answer)


VuAnswers.com

Rich text editor interface with a toolbar and a large empty text area.

Made by: **Waqar Siddhu**

Question No : 50 of 52

Marks: 5 (Budgeted Time 10 Min)



Answer (Please click here to Add Answer)

VuAnswers.com

Rich text editor interface with a toolbar and a large empty text area.

Made by: **Waqar Siddhu**

For More Visit **VU Answer**

Question No : 51 of 52


Marks: 5 (Budgeted Time 10 Min)

Develop the running time complexity analysis for the following piece of code. Adopt step wise approach along with asymptotic notation at the end.

```
i=1
while (i < n) {
    i++
}
for ( i=1;i <= n ;i=i*2 )
```

Answer (Please [click here to Add Answer](#))

VuAnswers.com



A rich text editor interface with a toolbar at the top containing icons for bold, italic, underline, text color, background color, bulleted list, numbered list, link, unlink, and a search icon. The toolbar also shows the font name 'Arial', font size '12', and a zoom level of '100%'. Below the toolbar is a large, empty text area for writing the answer.

Made by: Waqar Siddhu

Question No : 51 of 52


Marks: 5 (Budgeted Time 10 Min)

Develop the running time complexity analysis for the following piece of code. Adopt step wise approach along with asymptotic notation at the end.

```
i=1
while (i < n) {
    i++
}
for ( i=1;i <= n ;i=i*2 )
for ( j = 1; j <= i; ++j )
```

Answer (Please [click here to Add Answer](#))

VuAnswers.com



A rich text editor interface with a toolbar at the top containing icons for bold, italic, underline, text color, background color, bulleted list, numbered list, link, unlink, and a search icon. The toolbar also shows the font name 'Arial', font size '12', and a zoom level of '100%'. Below the toolbar is a large, empty text area for writing the answer.

Made by: Waqar Siddhu

Question No : 52 of 52

Marks: 5 (Budgeted Time 10 Min)

Kruskal's algorithm can return different spanning trees for the same input graph G depending upon how ties are broken when edges are sorted. Prove that, for each minimum spanning tree T of G , there is a way to sort the edges of G in Kruskal's algorithm so that the algorithm returns T .

Answer (Please [click here to Add Answer](#))

VuAnswers.com



A rich text editor interface with a toolbar at the top containing icons for bold, italic, underline, text color, background color, bulleted list, numbered list, link, unlink, and a search icon. The toolbar also shows the font name 'Arial', font size '12', and a zoom level of '100%'. Below the toolbar is a large, empty text area for writing the answer.

Made by: Waqar Siddhu

For More Visit **VU Answer**