

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 QUIZ.3 FILE

SOLVED BY SANAULLAH KHAN

CONTACT NO:03066793776

Download More Quizzes Files From
VUAnswer.com

Subject Enrolment

1. Online classes are available (Mathematics)
2. Solved graded activities
 - Assignment's
 - Quizzes
 - GDB's
3. Solved quiz files
4. Past papers
5. Any info about virtual university of Pakistan

Final project (MTH620)

Email:

Sanaullahkhan03066793@gmail.com

Facebook:

Sanaullah Khan

Instagram:

Mr.khan.1431

YouTube:

S KHAN ACADEMY

SUBSCRIBE MY CHANNEL

CLICK HERE:

https://youtube.com/channel/UCcicgZ0tjL8Nc_P_KB2YNVg

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

Download More Quizzes Files From

MTH401 - Differential Equations (Quiz#3)


VUAnswer.com

Question # 1 of 10 (Start time: 03:27:11 PM, 08 February 2022)

The total forces acting on mass m are_____.

Select the correct option

- | | |
|----------------------------------|---|
| <input type="radio"/> | 4 |
| <input checked="" type="radio"/> | 3 |
| <input type="radio"/> | 2 |
| <input type="radio"/> | 5 |



Download More Quizzes Files From

VUAnswer.com

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 2 of 10 (Start time: 03:28:07 PM, 08 February 2022)

Which number is known as quasi frequency?

Download More Quizzes Files From
VUAnswer.com

Select the correct option

<input type="radio"/>	$\frac{2\pi}{\sqrt{\omega^2 - \lambda^2}}$
<input checked="" type="radio"/>	$\frac{\sqrt{\omega^2 - \lambda^2}}{2\pi}$
<input type="radio"/>	$\frac{2\pi}{\sqrt{\omega^2 + \lambda^2}}$
<input type="radio"/>	$\frac{\sqrt{\omega^2 + \lambda^2}}{2\pi}$



Download More Quizzes Files From
VUAnswer.com

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 4 of 10 (Start time: 03:30:09 PM, 08 February 2022)

Consider a power series

$$\sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{n^2} x^n = x - \frac{x^2}{2^2} + \frac{x^3}{3^2} + \dots$$

, then the center of series is _____.

Select the correct option

- | | |
|----------------------------------|-------|
| <input type="radio"/> | x |
| <input type="radio"/> | 1 |
| <input type="radio"/> | x^2 |
| <input checked="" type="radio"/> | 0 |

Download More Quizzes Files From
VUAnswer.com



Download More Quizzes Files From
VUAnswer.com

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 3 of 10 (Start time: 03:29:03 PM, 08 February 2022)

Any linear differential equation of the form

$$a_{n-1}x^{n-1} \frac{d^{n-1}y}{dx^{n-1}} + \dots + \frac{dy}{dx} + a_0y = g(x)$$

where

$$a_n, a_{n-1}, \dots, a_0$$

are constants, is said to be a _____ equation.

Select the correct option

- | | |
|----------------------------------|-----------------|
| <input checked="" type="radio"/> | Cauchy-Euler |
| <input type="radio"/> | Non homogeneous |
| <input type="radio"/> | Cauchy-Euler |
| <input type="radio"/> | Homogeneous |

WORK.100%

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

Download More Quizzes Files From
VUAnswer.com

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 6 of 10 (Start time: 03:31:28 PM, 08 February 2022)

The flow of current is _____ proportional to the resistance.

Select the correct option

directly

inversely



Download More Quizzes Files From

VUAnswer.com

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 7 of 10 (Start time: 03:32:11 PM, 08 February 2022)

For

Download More Quizzes Files From

VUAnswer.com

$$\frac{dy}{dx} - \frac{y}{x} = -\frac{\ln x}{x}$$

the integrating factor is

Select the correct option

$-1/x$

$-y$

$-x$

$-1/y$



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 8 of 10 (Start time: 03:32:59 PM, 08 February 2022)

The time interval between two successive maxima of $x(t)$ is called _____.

Select the correct option

quasi period

Download More Quizzes Files From
VUAnswer.com

quasi frequency

WORK.100%

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 9 of 10 (Start time: 03:33:44 PM, 08 February 2022)

If the system is impressed upon by a _____ force and there is no damping force then there is no transient term in the solution.

Download More Quizzes Files From
VUAnswer.com

Select the correct option

<input type="radio"/>	friction
<input type="radio"/>	gravitational
<input type="radio"/>	applied
<input checked="" type="radio"/>	periodic



Download More Quizzes Files From
VUAnswer.com

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 10 of 10 (Start time: 03:35:02 PM, 08 February 2022)

The singular points need not to be _____ number.

Select the correct option

- | | |
|----------------------------------|---------|
| <input type="radio"/> | natural |
| <input checked="" type="radio"/> | real |
| <input type="radio"/> | whole |
| <input type="radio"/> | complex |



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 1 of 10 (Start time: 04:09:07 PM, 08 February 2022)

Any linear differential equation of the form

Download More Quizzes Files From

$$a_{n-1}x^{n-1}\frac{d^{n-1}y}{dx^{n-1}} + \dots + \frac{dy}{dx} + a_0y = g(x)$$

where

VUAnswer.com

$$a_n, a_{n-1}, \dots, a_0$$

are constants, is said to be a _____ equation.

Select the correct option

<input checked="" type="radio"/>	Cauchy-Euler
<input type="radio"/>	Homogeneous
<input type="radio"/>	Non homogeneous
<input type="radio"/>	Cauchy-Euler



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 3 of 10 (Start time: 04:09:59 PM, 08 February 2022)

A function f is said to be analytic at a point ' a ' if it can be represented by a power series in $(x-a)$ with a _____ radius of convergence.

Select the correct option

negative

positive



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 4 of 10 (Start time: 04:10:38 PM, 08 February 2022)

The damping force is _____ to the instantaneous velocity

Download More Quizzes Files From
VUAnswer.com

$$\frac{dx}{dt}$$

Select the correct option

<input checked="" type="radio"/>	Proportional
<input type="radio"/>	None of these
<input type="radio"/>	Inverse proportional
<input type="radio"/>	Constant

WORK.100%

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 6 of 10 (Start time: 04:11:12 PM, 08 February 2022)

The total forces acting on mass m are_____.

Select the correct option

<input checked="" type="radio"/>	3
<input type="radio"/>	2
<input type="radio"/>	5
<input type="radio"/>	4

Download More Quizzes Files From
VUAnswer.com

WORK.100%

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 – Differential Equations (Quiz#3)

Question # 7 of 10 (Start time: 04:11:31 PM, 08 February 2022)

For solving non homogeneous differential equation, we use either the method of _____.

Select the correct option

- | | |
|----------------------------------|--------------------------|
| <input checked="" type="radio"/> | a&b both |
| <input type="radio"/> | Undetermined coefficient |
| <input type="radio"/> | Variation of parameter |
| <input type="radio"/> | None of them |



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 8 of 10 (Start time: 04:11:56 PM, 08 February 2022)

If

$$\lambda^2 - \omega^2 = 0$$

and

$$\beta = k$$

then the system is said to be _____ damped.

Select the correct option

<input type="radio"/>	over
<input type="radio"/>	under
<input checked="" type="radio"/>	critically
<input type="radio"/>	none of these



WORK.100%

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 9 of 10 (Start time: 04:12:33 PM, 08 February 2022)

Ordinary differential equation $\left(\frac{dy}{dx}\right)^3 + \frac{d^2y}{dx^2} + y = 9$, is of order -----.

Select the correct option

<input type="radio"/>	0
<input type="radio"/>	3
<input type="radio"/>	1
<input checked="" type="radio"/>	2



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 10 of 10 (Start time: 04:13:53 PM, 08 February 2022)

Consider a power series

$$x - \frac{x^2}{2} + \frac{x^3}{3} - \dots$$

represents _____.

Select the correct option

- | | |
|----------------------------------|----------|
| <input type="radio"/> | sin x |
| <input checked="" type="radio"/> | ln (1+x) |
| <input type="radio"/> | cos x |
| <input type="radio"/> | e |

MTH401 - Differential Equations (Quiz#3)

Question # 1 of 10 (Start time: 04:43:08 PM, 08 February 2022)

The quantity $X = L\gamma - \frac{1}{C\gamma}$ is called _____ of the circuit.

Select the correct option

- | | |
|----------------------------------|-----------|
| <input type="radio"/> | impedance |
| <input checked="" type="radio"/> | reactance |

Download More Quizzes Files From
VUAnswer.com

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 4 of 10 (Start time: 04:44:44 PM, 08 February 2022)

To reduce any Cauchy -Euler differential equation into a differential equation with _____ coefficients we often use substitution

$$x = e^t$$

Select the correct option

<input type="radio"/>	variable
<input checked="" type="radio"/>	constant



Download More Quizzes Files From

VUAnswer.com

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 – Differential Equations (Quiz#3)

Question # 5 of 10 (Start time: 04:45:38 PM, 08 February 2022)

A _____ is a passive electronic component of an electronic circuit that has the ability to store charge and opposes any change of voltage in the circuit.

Select the correct option

- | | |
|----------------------------------|-----------|
| <input type="radio"/> | resister |
| <input checked="" type="radio"/> | capacitor |
| <input type="radio"/> | inductor |
| <input type="radio"/> | voltage |

WORK.100%

Download More Quizzes Files From
VUAnswer.com

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 8 of 10 (Start time: 04:47:28 PM, 08 February 2022)

The conversion of Cauchy Euler equation

after putting

becomes

Download More Quizzes Files From
VUAnswer.com

$$x^2 \frac{d^2 y}{dx^2} - x \frac{dy}{dx} + y = \ln x$$

$$x = e^t$$

Select the correct option

- | | |
|----------------------------------|-----------------------------|
| <input type="radio"/> | $(\Delta^2 - \Delta + 1)y$ |
| <input type="radio"/> | $(\Delta^2 - 2\Delta - 1)y$ |
| <input checked="" type="radio"/> | $(\Delta^2 - 2\Delta + 1)y$ |
| <input type="radio"/> | $(2\Delta^2 - \Delta - 1)y$ |

PAKISTAN
WORK.100%

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 10 of 10 (Start time: 04:51:02 PM, 08 February 2022)

If the system is impressed upon by a _____ force and there is no damping force then there is no transient term in the solution.

Select the correct option

applied

friction

periodic

gravitational



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)


Quiz Start Time: 02:50 PM, 07 February 2022

Question # 10 of 10 (start time: 02:53:32 PM, 07 February 2022)

Total Marks: 1

The quantity $X = L\gamma - \frac{1}{C\gamma}$ is called _____ of the circuit.

Select the correct option

 Reload Math Equations

reactance

impedance

[Click to Save Answer & Move to Next Question](#)

WORK.100%

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Quiz Start Time: 02:50 PM, 07 February 2022

Question # 8 of 10 (start time: 02:52:34 PM, 07 February 2022)

Total Marks: 1

A point

x_0

is said to be a _____ point of a differential equation

$$a_2(x)y'' + a_1(x)y' + a_0(x)y = 0$$

if both $P(x)$ and $Q(x)$ are analytic at

x_0

Select the correct option

 Reload Math Equations

singular

ordinary

Click to Save Answer & Move to Next Question

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

sec(s)
Quiz Start Time: 02:50 PM, 07 February 2022

Question # 6 of 10 (start time: 02:52:05 PM, 07 February 2022)

Total Marks: 1

If

$$\lambda^2 - \omega^2 = 0$$

and

$$\beta = k$$

then the system is said to be _____ damped.

Select the correct option

 Reload Math Equations

- critically
- under
- none of these
- over

[Click to Save Answer & Move to Next Question](#)

WORK. 100 %

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

The power series, $\sum_{n=0}^{\infty} \frac{x^n}{n!}$, _____ $x = 1$ to the number e .

Select the correct option

 Reload Math Equations

<input type="radio"/>	diverges
<input checked="" type="radio"/>	converges

Click to Save Answer & Move to Next Question

WORK.100%

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

sec(s)
Quiz Start Time: 02:50 PM, 07 February 2022

Question # 2 of 10 (start time: 02:51:00 PM, 07 February 2022)

Total Marks: 1

The nature of the roots of the differential equation

$$x^2 \frac{d^2 y}{dx^2} - 2x \frac{dy}{dx} - 4y = 0$$

is _____

Select the correct option

 Reload Math Equations

- none of these
- Real and repeated
- Conjugate complex
- Real and distinct

Click to Save Answer & Move to Next Question

WORK.100%

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

Question # 4 of 10 (Start time: 02:51:28 PM, 07 February 2022)

Total Marks: 1

The equation, $(x^2 + 1)\frac{d^2y}{dx^2} + 2x\frac{dy}{dx} + 6y = 0$, has the singular point(s) at $x =$ _____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|---------------------------|
| <input type="radio"/> | (III) $-i$ |
| <input type="radio"/> | (II) i |
| <input type="radio"/> | (I) ± 1 |
| <input checked="" type="radio"/> | (IV) Both (II) and (III). |

[Click to Save Answer & Move to Next Question](#)

Download More Quizzes Files From

VUAnswer.com

WORK.100%

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Quiz Start Time: 09:02 PM, 07 February 2022

Question # 7 of 10 (Start time: 09:04:42 PM, 07 February 2022)

Total Marks: 1

A _____ is an electrical component that limits or regulates the flow of electrical current in an electrical circuit.

Select the correct option

- voltage
- capacitor
- resistor
- inductor

Click to Save Answer & Move to Next Question

WORK.100%

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Quiz Start Time: 09:02 PM, 07 February 2022

Question # 6 of 10 (start time: 09:04:30 PM, 07 February 2022)

Total Marks: 1

The harmonic series of constant

$$\sum_{n=1}^{\infty} \frac{1}{n}$$

always _____

Select the correct option

[Reload Math Equations](#)

convergent

divergent

[Click to Save Answer & Move to Next Question](#)

WORK.100%

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Quiz Star

Question # 1 of 10 (Start time: 09:02:58 PM, 07 February 2022)

A point that is not an ordinary point is said to be singular point of the equation.

Select the correct option

True



False



Click to Save A

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)


Question # 1 of 10 (Start time: 02:53:35 PM, 08 February 2022)

Consider a mathematical statement, $V = IR$, where V be the constant of proportionality and it represents the voltage. The equation is called _____.

Select the correct option

- | | |
|----------------------------------|---------------|
| <input type="radio"/> | Hooke's law |
| <input type="radio"/> | Newtown's law |
| <input type="radio"/> | Coulomb's law |
| <input checked="" type="radio"/> | Ohm's law |

Download More Quizzes Files From
VUAnswer.com



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 2 of 10 (Start time: 02:54:32 PM, 08 February 2022)

For solving non homogeneous differential equation, we use either the method of _____.

Select the correct option

- a&b both
- Undetermined coefficient
- None of them
- Variation of parameter



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 – Differential Equations (Quiz#3)

Question # 3 of 10 (Start time: 02:55:23 PM, 08 February 2022)

Consider a power series


Download More Quizzes Files From
VUAnswer.com

$$1 - \frac{x^2}{2} + \frac{x^4}{24} - \dots$$

represents _____

Select the correct option

<input checked="" type="radio"/>	cos x
<input type="radio"/>	e
<input type="radio"/>	sin x
<input type="radio"/>	ln x



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 4 of 10 (Start time: 02:56:11 PM, 08 February 2022)

The differential equation

$$y'' + (\cos x)y = 0$$

has ordinary point at _____.

Select the correct option

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | x=1 |
| <input checked="" type="radio"/> | x=0 |
| <input type="radio"/> | none of them |
| <input type="radio"/> | x=-1 |



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 5 of 10 (Start time: 02:57:06 PM, 08 February 2022)

The differential equation

$$(x^2 - 4)y'' + 2xy' + y = 0$$

has singular point at

Select the correct option

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | x=1 |
| <input type="radio"/> | x=0 |
| <input type="radio"/> | x=2 and x = -2 |
| <input checked="" type="radio"/> | x=2 |

Download More Quizzes Files From
VUAnswer.com



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 6 of 10 (Start time: 02:58:02 PM, 08 February 2022)

The equation, $(x^2 + 1)\frac{d^2y}{dx^2} + 2x\frac{dy}{dx} + 6y = 0$, has the singular point(s) at $x =$ _____.

Select the correct option

- | | |
|----------------------------------|---------------------------|
| <input type="radio"/> | (I) ± 1 |
| <input type="radio"/> | (III) $-i$ |
| <input checked="" type="radio"/> | (IV) Both (II) and (III). |
| <input type="radio"/> | (II) i |



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY


MTH401 - Differential Equations (Quiz#3)

Question # 7 of 10 (Start time: 02:58:56 PM, 08 February 2022)

The quantity $Z = \sqrt{X^2 + R^2}$ is called _____ of the circuit.

Select the correct option

- | | |
|----------------------------------|-----------|
| <input type="radio"/> | reactance |
| <input checked="" type="radio"/> | impedance |



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 8 of 10 (Start time: 02:59:26 PM, 08 February 2022)

Auxiliary equation of the differential equation

$$fx^2 \frac{d^2y}{dx^2} + gx \frac{dy}{dx} + hy = k(x)$$

is

Select the correct option

- | | |
|----------------------------------|---------------------------|
| <input type="radio"/> | $fm^2 - (g - f)m + h = 0$ |
| <input type="radio"/> | none of them |
| <input type="radio"/> | $fm + (g - f)m^2 + h = 0$ |
| <input checked="" type="radio"/> | $fm^2 + (g - f)m + h = 0$ |

WORK.100%

SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 9 of 10 (Start time: 03:00:16 PM, 08 February 2022)

Which number is known as quasi frequency?

Select the correct option

<input type="radio"/>	$\frac{2\pi}{\sqrt{\omega^2 + \lambda^2}}$
<input type="radio"/>	$\frac{2\pi}{\sqrt{\omega^2 - \lambda^2}}$
<input type="radio"/>	$\frac{\sqrt{\omega^2 + \lambda^2}}{2\pi}$
<input checked="" type="radio"/>	$\frac{\sqrt{\omega^2 - \lambda^2}}{2\pi}$



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)

YOUTUBE CHANNEL: S KHAN ACADEMY

MTH401 - Differential Equations (Quiz#3)

Question # 10 of 10 (Start time: 03:01:21 PM, 08 February 2022)

The power series, $\sum_{n=0}^{\infty} \frac{x^n}{n!}$, _____ $x = 1$ to the number e .

Select the correct option

<input checked="" type="radio"/>	converges
<input type="radio"/>	diverges



SANAULLAH KHAN
MSc. MATHEMATICS
FOR QUIZ CONTECT
(03066793776)