

Cs609 Question

Marks: 1

DMA stands for _____

Select the correct option



Distinct Memory Access



Direct Module Access



Direct Memory Access

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228943306
EMAIL : usmanraj20@gmail.com



Direct Memory Allocation

MADE BY HADI

UART stands for_____

Select the correct option

- ☐ Universal Adjustment and Realigning Tool
- ☐ Universal Asynchronous Receiver Transmitter
- ☐ Unconventional Assisted Recovery Team
- ☐ None of these

CORRECT ANSWER SOLVED BY HADI
CELL NO : +933218943306
EMAIL : usmanraj20@gmail.com

MADE BY HADI

Cs609 Question

Marks: 1

DTE is _____.

Select the correct option

<input type="radio"/>	Data transmitting equipment	<div><div>CORRECT ANSWER SOLVED BY HADI</div><div>CELL NO : +933228943306</div><div>EMAIL : usmanraj20@gmail.com</div></div> <div>MADE BY HADI</div>
<input type="radio"/>	Dual terminal equipment	
<input type="radio"/>	Data terminal equipment	
<input type="radio"/>	None of the given	

Interrupt Vector Table (IVT) in short is a _____ bytes sized table.

Select the correct option

<input type="radio"/>	1024	<div>CORRECT ANSWER SOLVED BY HADI CELL NO : +923228043306 EMAIL : usmanraj20@gmail.com</div>
<input type="radio"/>	2048	
<input type="radio"/>	3072	
<input type="radio"/>	4096	<div>MADE BY HADI</div>

Timer interrupt is a _____.

Select the correct option

<input type="radio"/>	Hardware Interrupt	CORRECT ANSWER SOLVED BY HADI CELL NO : +923228043306 EMAIL : usmanraj20@gmail.com	//
<input type="radio"/>	Software Interrupt		//
<input type="radio"/>	Both of these		//
<input type="radio"/>	None of These	MADE BY HADI	//

Int 14H _____ can be used to set the line parameter of the UART or COM port.

Select the correct option

<input type="radio"/>	Service # 0	<div>CORRECT ANSWER SOLVED BY HADI CELL NO : +923228043306 EMAIL : usmanraj20@gmail.com</div>	//
<input type="radio"/>	Service # 1		//
<input type="radio"/>	Service # 2		//
<input type="radio"/>	None of the given options	<div>MADE BY HADI</div>	//

Cs609 Question

Marks: 1

_____ is used to identify the cause of interrupt.

Select the correct option

<input type="radio"/>	Interrupt ID Register	<div>CORRECT ANSWER SOLVED BY HADI CELL NO : +923228043306 EMAIL : usmanraj20@gmail.com</div>	//
<input type="radio"/>	PC Register		//
<input type="radio"/>	AC Register		//
<input type="radio"/>	None of All These	MADE BY HADI	//

There are _____ kinds of serial communication.

Select the correct option

- ☐ 3
- ☐ 5
- ☐ 2
- ☐ 1

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228943306
EMAIL : usmanraj20@gmail.com

MADE BY HADI

_____ is LED control byte.

Select the correct option

<input type="radio"/>	0xFD	
<input type="radio"/>	0xED	CORRECT ANSWER SOLVED BY HADI CELL NO : +923228043306 EMAIL : usmanraj20@gmail.com
<input type="radio"/>	0xFF	
<input type="radio"/>	0xEE	MADE BY HADI

Each paragraph in keep function is ____ bytes in size.

Select the correct option

- ☐ 4
- ☐ 8
- ☐ 16
- ☐ 32

CORRECT ANSWER SOLVED BY HADI
CELL NO : +933228943306
EMAIL : usmanraj20@gmail.com

MADE BY HADI

The following command "outportb (0x61,inportb(0x61) | 3);" will _____ .

Select the correct option

- ☐ Turn on the speaker
- ☐ Turn off the speaker
- ☐ Toggle the speaker
- ☐ None of the above

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com

MADE BY HADI

Cs609 Question

Marks: 1

Hardware Interrupts are _____.

Select the correct option

<input type="radio"/>	Preemptive	
<input type="radio"/>	Non-Preemptive	CORRECT ANSWER SOLVED BY HADI CELL NO : +923128043306 EMAIL : usmanraj20@gmail.com
<input type="radio"/>	Both Preemptive and Non-Preemptive	
<input type="radio"/>	None of Given	MADE BY HADI

_____ whenever received indicates the start of communication and _____ whenever received indicates a temporary pause in the communication.

Select the correct option

<input type="radio"/>	XON & XOFF	CORRECT ANSWER SOLVED BY HADI CELL NO : -923228043306 EMAIL : usmanraj20@gmail.com	//
<input type="radio"/>	XOFF & XON		//
<input type="radio"/>	XON & YOFF		//
<input type="radio"/>	YON & XOFF	MADE BY HADI	//

Int 14H _____ can be used to receive a byte.

Select the correct option

- ☐ Service # 0
- ☐ Service # 1
- ☐ Service # 2
- ☐ None of the given options

CORRECT ANSWER SOLVED BY HADI
CELL NO : +933228943306
EMAIL : usmanraj20@gmail.com

MADE BY HADI

Cs609 Question

Marks: 1

Software based flow control make use of ----- control characters

page 135

Select the correct option

<input type="radio"/>	Xon	//
<input type="radio"/>	XOFF	//
<input type="radio"/>	Both	<div>CORRECT ANSWER SOLVED BY HADI CELL NO : +923228943306 EMAIL : usmanraj20@gmail.com</div> //
<input type="radio"/>	None	<div>MADE BY HADI</div> //

_____ No. of bytes are used to store the character in the keyboard buffer.

page 54

Select the correct option

- ☐

3
- ☐

2

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraj20@gmail.com
- ☐

6
- ☐

4

MADE BY HADI

Keyboard uses port ____ as status port.

page 177

Select the correct option

- ☐ 64H

CORRECT ANSWER SOLVED BY HADI
CELL NO : +923228043306
EMAIL : usmanraaj20@gmail.com
- ☐ 66H
- ☐ 67H
- ☐ 69H

MADE BY HADI

Operating system name contains ____ bytes in boot block.

Select the correct option

- ☐ 3
- ☐ 8

CORRECT ANSWER SOLVED BY HADI
CELL NO : -923228043306
EMAIL : usmanraj20@gmail.com
- ☐ 11
- ☐ 16

MADE BY HADI